

FAN-Evaluator / Stainless Steel (FAN-E/SS) – Industrial RECTANGULAR CONFIGURATION 90° FLANGE



STANDARD CONSTRUCTION

- Casing.** 14 ga. type 316 stainless steel, continuously welded casing seams.
- Flanges.** 1-1/2" wide formed flanges.
- Air Equalizer/Straightener.** 1/2" cell, 3" deep, 3 mil thick, type 316SS, welded construction, mechanically fastened, rated to 4000 FPM and 600°F.
- Total Pressure Header.** Type 316 stainless steel tubing, welded construction.
- Static Pressure Header.** Type 316 stainless steel tubing, welded construction.
- Operating Temperature.** Continuous operation to 600°F.
- Connection Fittings.** 1/4" stainless steel compression type.

OPTIONAL CONSTRUCTION

- | | |
|---|---|
| <p>Casing / Formed Flanges</p> <ul style="list-style-type: none"> <input type="checkbox"/> 10 ga. type 316SS, continuously welded seams <input type="checkbox"/> 3/16" type 316SS plate, continuously selded seams <input type="checkbox"/> 1/4" type 316SS plate, continuously welded seams <p>Air Equalizer and Straightener</p> <ul style="list-style-type: none"> <input type="checkbox"/> 3/4" cell, 3" deep, 12 mil thick, type 316SS, welded, mechanically fastened, rated to 8000 FPM and 800°F <p>Connection Fittings</p> <ul style="list-style-type: none"> <input type="checkbox"/> Seal welded fittings | <p>Flanges</p> <ul style="list-style-type: none"> <input type="checkbox"/> Extended Flange Size: _____ <p>Bolt Holes</p> <ul style="list-style-type: none"> <input type="checkbox"/> Customer supplied pattern <input type="checkbox"/> AMC standard pattern <p>Qty Per Flange: _____ Hole Size: _____</p> <p>Signal Takeoff Location</p> <ul style="list-style-type: none"> <input type="checkbox"/> Station Long Side (standard) <input type="checkbox"/> Station Short Side <p>Engraved Identification Tags</p> <ul style="list-style-type: none"> <input type="checkbox"/> Stainless Steel <input type="checkbox"/> Plastic |
|---|---|

DIMENSIONAL SPECIFICATIONS

